



## STEP THERAPY CRITERIA

Last Updated 12/07/2021

This is a complete list of drugs that have written coverage determination policies. Drugs on this list do not indicate that this particular drug will be covered under your medical or prescription drug benefit. Please verify drug coverage by checking your formulary and member handbook. Additional restrictions and exclusions may apply. If you have questions, please contact Providence Health Plan Customer Service at 503-574-7500 or 1-800-878-4445 (TTY: 711). Service is available five days a week, Monday through Friday, between 8 a.m. and 6 p.m.

## ANTI-GLAUCOMA AGENTS

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

BIMATOPROST 0.03% EYE DROPS, LUMIGAN, VYZULTA, ZIOPTAN

### **CRITERIA**

COVERED USES: N/A

### **REQUIRED MEDICAL INFORMATION:**

An adequate trial, contraindication, or intolerance to the use of formulary generic latanoprost 0.005% eye drops.

EXCLUSION CRITERIA: N/A

AGE RESTRICTIONS: N/A

PRESCRIBER RESTRICTIONS: N/A

### **COVERAGE DURATION:**

Authorization will be approved until no longer eligible with the plan, subject to formulary or benefit changes

### **QUANTITY LIMIT:**

Lumigan® - 2.5 ml per 25 days

Vyzulta® - 2.5 mL per 25 days

Zioptan® - one single-use container per day

## **ANTIDEPRESSANTS STEP THERAPY**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

FETZIMA, TRINTELLIX, VIIBRYD

### **CRITERIA**

#### **REQUIRED MEDICAL INFORMATION:**

Documented trial, intolerance or contraindication to two formulary generic selective serotonin reuptake inhibitors (SSRIs) or serotonin-norepinephrine reuptake inhibitors (SNRIs). Examples of formulary SSRI or SNRI's include but are not limited to the following: citalopram, sertraline, paroxetine, venlafaxine, duloxetine, escitalopram, and fluoxetine.

#### **COVERAGE DURATION:**

Authorization will be approved until no longer eligible with the plan, subject to formulary and/or benefit changes.

# ANTIEPILEPTIC MEDICATIONS

---

## **MEDICATION(S) SUBJECT TO STEP THERAPY**

APTOM, BANZEL, BRIVIACT 10 MG TABLET, BRIVIACT 10 MG/ML ORAL SOLN, BRIVIACT 100 MG TABLET, BRIVIACT 25 MG TABLET, BRIVIACT 50 MG TABLET, BRIVIACT 75 MG TABLET, FYCOMPA, RUFINAMIDE, XCOPRI

## **CRITERIA**

### **COVERED USES:**

Seizure disorder

### **REQUIRED MEDICAL INFORMATION:**

1. The patient is currently established on therapy with the requested medication (Note: starting on samples will not be considered established on therapy)

OR

2. Documentation of trial and failure of at least one formulary preferred generic antiepileptic medication (divalproex sodium, valproic acid, felbamate, lamotrigine, topiramate, carbamazepine, phenytoin, levetiracetam or clobazam)

# ANTIPSYCHOTICS: MAJOR DEPRESSIVE DISORDER

---

## MEDICATION(S) SUBJECT TO STEP THERAPY

REXULTI

## CRITERIA

### COVERED USES:

All Food and Drug Administration (FDA) approved indications not otherwise excluded from the benefit.

### REQUIRED MEDICAL INFORMATION:

For adjunctive treatment of major depressive disorder (Rexulti®):

1. Documentation of current use of an antidepressant (e.g., citalopram, sertraline, paroxetine, duloxetine, mirtazapine, venlafaxine)

AND

2. Documented trial, failure, intolerance or contraindication to quetiapine and aripiprazole

EXCLUSION CRITERIA: N/A

AGE RESTRICTIONS: N/A

PRESCRIBER RESTRICTIONS: N/A

### COVERAGE DURATION:

Authorization may be reviewed annually to assess continued medical necessity and effectiveness of medication.

# ANTIPSYCHOTICS: SCHIZOPHRENIA / BIPOLAR DISORDER

---

## **MEDICATION(S) SUBJECT TO STEP THERAPY**

ASENAPINE MALEATE, CAPLYTA, LATUDA, REXULTI, SAPHRIS, SECUADO, VRAYLAR

## **CRITERIA**

### **COVERED USES:**

All Food and Drug Administration (FDA) approved indications not otherwise excluded from the benefit.

### **REQUIRED MEDICAL INFORMATION:**

For adjunctive treatment of major depressive disorder (Rexulti®):

1. Documentation of current use of an antidepressant (e.g., citalopram, sertraline, paroxetine, duloxetine, mirtazapine, venlafaxine)

AND

2. Documented trial, failure, intolerance or contraindication to quetiapine and aripiprazole

For schizophrenia:

Documented trial, failure, intolerance or contraindication to two formulary, generic antipsychotics (e.g., quetiapine, olanzapine, ziprasidone, risperidone, aripiprazole).

For bipolar disorder:

Documented trial, failure, intolerance or contraindication to two formulary, generic medications for bipolar disorder (e.g., lithium, quetiapine, lamotrigine, divalproex, aripiprazole, risperidone, olanzapine, ziprasidone).

### **COVERAGE DURATION:**

Authorization will be approved until no longer eligible with the plan, subject to formulary and/or benefit changes.

# BYSTOLIC

---

## **MEDICATION(S) SUBJECT TO STEP THERAPY**

BYSTOLIC, NEBIVOLOL HCL

## **CRITERIA**

### **COVERED USES:**

All medically accepted indications not otherwise excluded from the benefit.

### **REQUIRED MEDICAL INFORMATION:**

Documented trial, intolerance, or contraindication to two of the following formulary cardioselective beta-blockers: atenolol, metoprolol succinate, metoprolol tartrate, or bisoprolol

### **COVERAGE DURATION:**

Authorization will be approved until no longer eligible with the plan, subject to formulary or benefit changes

## **DIFICID**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

DIFICID

### **CRITERIA**

#### **COVERED USES:**

All Food and Drug Administration (FDA) approved indications not otherwise excluded from the benefit.

#### **REQUIRED MEDICAL INFORMATION:**

Documented trial or contraindication to oral vancomycin.

EXCLUSION CRITERIA: N/A

AGE RESTRICTIONS: N/A

PRESCRIBER RESTRICTIONS: N/A

#### **COVERAGE DURATION:**

Authorization will be approved until no longer eligible with the plan, subject to formulary and/or benefit changes.



# ELIDEL

---

## **MEDICATION(S) SUBJECT TO STEP THERAPY**

ELIDEL, PIMECROLIMUS

## **CRITERIA**

### **COVERED USES:**

All medically accepted indications not otherwise excluded from the benefit.

### **REQUIRED MEDICAL INFORMATION:**

Documented trial or contraindication to tacrolimus 0.1% ointment or tacrolimus 0.03% ointment

### **COVERAGE DURATION:**

Authorization will be approved until no longer eligible with the plan, subject to formulary or benefit changes

# FLECTOR

---

## **MEDICATION(S) SUBJECT TO STEP THERAPY**

DICLOFENAC EPOLAMINE, FLECTOR

## **CRITERIA**

### **COVERED USES:**

All Food and Drug Administration (FDA) approved indications not otherwise excluded from the benefit.

### **REQUIRED MEDICAL INFORMATION:**

1. Trial and failure of one of the following oral NSAIDs: celecoxib, etodolac, nabumetone, meloxicam, or sulindac

AND

2. Trial and failure of diclofenac sodium 1% topical gel (Voltaren® 1% topical gel) or diclofenac 1.5% topical solution (Pennsaid 1.5% topical solution)

EXCLUSION CRITERIA: N/A

AGE RESTRICTIONS: N/A

PRESCRIBER RESTRICTIONS: N/A

### **COVERAGE DURATION:**

Authorization will be approved until no longer eligible with the plan, subject to formulary or benefit changes

# GLP-1 RECEPTOR AGONISTS: PREFERRED

---

## MEDICATION(S) SUBJECT TO STEP THERAPY

OZEMPIC, RYBELSUS, TRULICITY, VICTOZA 2-PAK, VICTOZA 3-PAK

## CRITERIA

### COVERED USES:

All Food and Drug Administration (FDA) approved indications not otherwise excluded from the benefit.

### REQUIRED MEDICAL INFORMATION:

1. One (1) of the following:

a. History of use of a medication containing metformin within the previous 180 days (verified by pharmacy claims), or

b. Documentation of trial, intolerance, or contraindication to metformin

AND

2. For exenatide (Byetta®), exenatide ER (Bydureon®), and lixisenatide (Adlyxin®): Documentation of trial, contraindication or intolerance to at least TWO (2) of the preferred glucagon-like peptide-1 (GLP-1) receptor agonists: liraglutide (Victoza®), semaglutide (Ozempic®/Rybelsus®), or dulaglutide (Trulicity®)

EXCLUSION CRITERIA: N/A

AGE RESTRICTIONS: N/A

PRESCRIBER RESTRICTIONS: N/A

### COVERAGE DURATION:

Authorization will be approved until no longer eligible with the plan, subject to formulary or benefit changes.

### QUANTITY LIMITATIONS:

Adlyxin® = 6 mL per 28 days

Bydureon® = 4 pens per 28 days

Bydureon BCise® = 4 pens per 28 days

Byetta® = 2.4 mL per 30 days

Ozempic® 0.25 or 0.5 mg pen = 1.5 mL per 28 days

Ozempic® 1 mg pen = 3 mL per 28 days

Rybelsus® = 1 tablet per day

Trulicity® = 2 mL per 28 days

Victoza® = 9 mL per 30 days



## HECTOROL / ZEMPLAR

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

DOXERCALCIFEROL 0.5 MCG CAP, DOXERCALCIFEROL 1 MCG CAPSULE,  
DOXERCALCIFEROL 2.5 MCG CAP, PARICALCITOL 1 MCG CAPSULE, PARICALCITOL 2 MCG  
CAPSULE, PARICALCITOL 4 MCG CAPSULE, ZEMPLAR 1 MCG CAPSULE, ZEMPLAR 2 MCG  
CAPSULE

### **CRITERIA**

#### **COVERED USES:**

All medically accepted uses not otherwise excluded from the benefit.

#### **CRITERIA:**

Documentation of trial, intolerance, or contraindication to calcitriol

EXCLUSION CRITERIA: N/A

#### **REQUIRED MEDICAL INFORMATION:**

For initiation of treatment, a prior authorization form and relevant chart notes documenting medical rationale are required and for continuation of therapy, ongoing documentation of successful response to the medication may be necessary.

AGE RESTRICTIONS: N/A

PRESCRIBER RESTRICTIONS: N/A

#### **COVERAGE DURATION:**

Authorization will be approved until no longer eligible with the plan, subject to formulary or benefit changes.

# LUCEMYRA

---

## **MEDICATION(S) SUBJECT TO STEP THERAPY**

LUCEMYRA

## **CRITERIA**

### **COVERED USES:**

All Food and Drug Administration (FDA) approved indications not otherwise excluded from the benefit.

### **REQUIRED MEDICAL INFORMATION:**

Patient must have tried clonidine

EXCLUSION CRITERIA: N/A

AGE RESTRICTIONS: N/A

PRESCRIBER RESTRICTIONS: N/A

### **COVERAGE DURATION:**

Authorization may be reviewed annually to assess continued medical necessity and effectiveness of medication.

### **QUANTITY LIMIT:**

168 tablets every 90 days

# NEUPRO

---

## **MEDICATION(S) SUBJECT TO STEP THERAPY**

NEUPRO

## **CRITERIA**

### **COVERED USES:**

All Food and Drug Administration (FDA) approved indications not otherwise excluded from the benefit.

### **REQUIRED MEDICAL INFORMATION:**

Documented trial or contraindication to ropinirole (Requip®) AND pramipexole (Mirapex®)

### **COVERAGE DURATION:**

Authorization will be approved until no longer eligible with the plan, subject to formulary or benefit changes.

# ONGENTYS

---

## **MEDICATION(S) SUBJECT TO STEP THERAPY**

ONGENTYS

## **CRITERIA**

### **COVERED USES:**

All medically accepted indications.

### **REQUIRED MEDICAL INFORMATION:**

Documented trial, intolerance, or contraindication to generic entacapone

### **COVERAGE DURATION:**

Authorization will be approved until no longer eligible with the plan, subject to formulary or benefit changes



# OVERACTIVE BLADDER MEDICATIONS

---

## MEDICATION(S) SUBJECT TO STEP THERAPY

DARIFENACIN ER, ENABLEX, GEMTESA, MYRBETRIQ, TOVIAZ

## CRITERIA

### COVERED USES:

All medically accepted indications not otherwise excluded from the benefit

### REQUIRED MEDICAL INFORMATION:

Trial, intolerance, or contraindication to:

1. One of the following: oxybutynin or tolterodine,

AND

2. Solifenacin

OR

For Myrbetriq: Treatment of neurogenic detrusor overactivity (NDO) in pediatric patients three years and older and weighing 35 kilograms or more

Note: Contraindications to anticholinergic agents include delirium, dementia/cognitive impairment, preexisting issue with chronic constipation, urinary retention, gastric retention, or uncontrolled narrow-angle glaucoma.

### COVERAGE DURATION:

Authorization will be approved until no longer eligible with the plan, subject to formulary or benefit changes

## PHOSPHATE BINDERS

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

AURYXIA, FOSRENOL, LANTHANUM CARBONATE, PHOSLYRA, RENAGEL, SEVELAMER HCL, VELPHORO

### **CRITERIA**

#### **COVERED USES:**

All medically accepted indications not otherwise excluded from the benefit.

#### **REQUIRED MEDICAL INFORMATION:**

Documentation of trial, contraindication, or intolerance to calcium acetate tablets/capsules (Phos-Lo®) AND sevelamer carbonate tablets (Renvela®)

For Auryxia® to control iron deficiency anemia:

Documentation of trial and failure, contraindication, or intolerance to iron supplementation. Failure is defined as failure of hemoglobin to return to normal by eight weeks of iron supplementation.

Intolerance will include constipation that is not controlled by increasing fiber in diet, docusate, bulk forming laxatives (Metamucil®, Citrucel®, Benefiber®), or polyethylene glycol (Miralax®).

EXCLUSION CRITERIA: N/A

AGE RESTRICTIONS: N/A

PRESCRIBER RESTRICTIONS: N/A

#### **COVERAGE DURATION:**

Authorization will be approved until no longer eligible with the plan, subject to formulary or benefit changes

## SEROTONIN ANTAGONISTS

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

SANCUSO

### **CRITERIA**

#### **COVERED USES:**

All Food and Drug Administration (FDA) approved indications not otherwise excluded from the benefit.

#### **REQUIRED MEDICAL INFORMATION:**

Documented trial, failure, intolerance or contraindication to ondansetron AND granisetron tablets.

EXCLUSION CRITERIA: N/A

AGE RESTRICTIONS: N/A

PRESCRIBER RESTRICTIONS: N/A

#### **COVERAGE DURATION:**

Authorization will be approved until no longer eligible with the plan, subject to formulary or benefit changes.

#### **QUANTITY LIMIT:**

Sancuso®: 2 patches per 30 days

## SOOLANTRA STEP THERAPY

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

IVERMECTIN 1% CREAM, SOOLANTRA

### **CRITERIA**

#### **COVERED USES:**

All Food and Drug Administration (FDA) approved indications not otherwise excluded from the benefit.

#### **REQUIRED MEDICAL INFORMATION:**

Documented trial, failure, intolerance or contraindication to metronidazole 0.75% topical gel, cream, or lotion

EXCLUSION CRITERIA: N/A

AGE RESTRICTIONS: N/A

PRESCRIBER RESTRICTIONS: N/A

#### **COVERAGE DURATION:**

Authorization will be approved until no longer eligible with the plan, subject to formulary or benefit changes

#### **QUANTITY LIMIT:**

45 grams per 30 days

## TOPICAL ANTIBIOTICS

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

ALTABAX, XEPI

### **CRITERIA**

#### **COVERED USES:**

All medically accepted indications not otherwise excluded from the benefit.

#### **REQUIRED MEDICAL INFORMATION:**

Documented trial and failure, intolerance or contraindication to mupirocin 2% ointment

#### **COVERAGE DURATION:**

Authorization will be approved until no longer eligible with the plan, subject to formulary and/or benefit changes

## **TRIPATAN STEP THERAPY**

---

### **MEDICATION(S) SUBJECT TO STEP THERAPY**

ALMOTRIPTAN MALATE, ELETRIPTAN HBR, RELPAX, ZOLMITRIPTAN 2.5 MG TABLET, ZOLMITRIPTAN 5 MG TABLET, ZOLMITRIPTAN ODT, ZOMIG 2.5 MG TABLET, ZOMIG 5 MG TABLET, ZOMIG ZMT

### **CRITERIA**

#### **REQUIRED MEDICAL INFORMATION:**

Documented trial or intolerance to both of the following medications: sumatriptan, rizatriptan

#### **COVERAGE DURATION:**

Authorization will be approved until no longer eligible with the plan, subject to formulary or benefit changes